



DPD Print Manual



NETWORK
MEMBER OF



Contents

1. Working with DPD Print	3
1.1 Programme start	3
1.2 Login window and logging in	3
1.3 Basic instructions for ease of processing	4
2. Programme interface	5
2.1 Tab bar	6
2.2 Button bar	7
2.2.1 Order processing	7
2.2.2 Parcel label printing	8
2.2.3 Completing the dispatch	9
2.2.4 Order search	10
2.2.5 Data import	11
2.2.6 Help	12
2.3 Configurable column headers	13
3. Menu button	14
3.1 Address administration	14
3.2 Shipping close administration	14
3.3 Data import	14
3.3.1 Performing the import of orders	15
3.3.2 Performing the import of addresses	15
3.3.3 Configuration of the import structure for orders (Setup parcel import)	15
3.3.4 Configuration of the import structure for addresses (Setup address import)	17
3.4 Data export	19
3.5 Configuration	19
3.5.1 Tab: „Internet“ > connection settings	19
3.5.2 Tab: „Printouts“ > activate collective printing for DIN A4	19
3.5.3 Tab: „Order“ > deactivate warnings	20
3.5.4 Tab: „, Services“ > automatic database backup	20
3.6 Tools	21
3.7 Support	21
4. Order creation	23
4.1 Header and shipper address	23
4.2 Consignee address	25
4.3 Products, options	26
4.3.1 Entry: DPD EXPRESS (international shipping)	26
4.3.2 Entry of an exchange parcel with return shipment	28
4.3.3 Entry of a parcel shop delivery	29
4.3.4 Entry of collection requests	30
4.3.5 Notifications in the case of express products	31
4.4 References, parcels	32
5. Close shipping	33
5.1 Closing the shipping	33
5.2 Shipping close administration	35
6. Function keys and key combinations	37
7. Printouts	38

1. Working with DPD Print

DPD Print is DPD's parcel label printing programme for the simple management of your parcel dispatch.


1.1 Programme start

After starting the programme, the DPD Print home screen appears, which provides information about the currently installed version. The progress bar informs you about the loading process and possible updates to the programme and routes.



1.2 Login window and logging in

The login window is used to register and authorise users. Please use the drop-down list next to the user ID to select the user role which has been set up for you and enter your personal password, taking upper and lower case letters into account.



After a successful login, the DPD Print programme interface appears.

If you can't find your user ID in the drop-down menu, please contact your local administrator.




Further functions of the login window are described below.

System report

The „System report“ button generates important log files and a PDF file with information on the DPD print version, which you can send to a member of the DPD support team or to your local administrator to enable error analysis.

To save the system report, you select a destination folder on your local computer. After you receive the system message that the report has been saved successfully, you can call up the system report from the selected location where the file was saved.



Remote support

(Remote maintenance) The button can be used to start the remote maintenance tool „TeamViewer“ to enable access if support is required.

1.3 Basic instructions for ease of processing


DPD Print works on an order basis throughout. This means that for every shipment an order must be created which, in addition to the shipper and consignee details, contains all the relevant product data.

In the process of entering an order in the programme you always work through the programme tabs from left to right. For more information on this please see [Chapter 2.1: Tab bar](#).

Optional input fields and mandatory fields

When orders are entered, you are requested to enter shipper / consignee and product-relevant data. Depending on the product specification, the corresponding input fields are highlighted in colour.

Input fields shaded in red



Mandatory fields that must **always** be filled out to start an order.

Input fields shaded in orange



Optional fields that should be filled out if possible.

Order status

Orders can have a different status. The individual status shows, for example, whether you should make data corrections or if further entries are necessary for your order.

Open

The order is not fully completed, adjustments have to be made.

Checked

All data relevant to the order has been entered correctly. Parcel labels can only be printed for orders that have already been checked.

Printed

The status that is assigned to orders that have already been printed. Changing the order data is no longer possible with this status. An order can now only be opened to display the entered data.

Archived

Orders that have already been transferred to DPD on completion of dispatch are given the status „archived“.

Status bar in the order pool (detail area for selected orders)

The status bar below the order pool clearly shows you the status information for the selected order: product, options, client and consignment (MPS ID). In addition, the status of the orders you have entered, such as „Open“, „Checked“ and „Printed“, is displayed with status bars.

The screenshot shows a status bar with four numbered sections:

- 1**: Product, Options, Client, Shipment
- 2**: Overview orders/parcels table
- 3**: Status parcel number ranges table
- 4**: Errors and Warnings summary

Overview orders/parcels	
Open	0 / 0
Checked	0 / 0
Printed	0 / 0

Status parcel number ranges	
Max Musterma...	99

Errors: 0 (info icon) 0 Data records (warning icon) not imported
Warnings: 0

1 – Brief overview of order details

This area shows the product, options, client and shipment (MPS ID) for the selected order. If there are several consignments, the placeholder „...“ is displayed instead of an MPS ID.

2 – Order pool status bar

For the different order statuses, the three status bars show the number of orders and their respective status (e.g. „Open“, „Checked“ and „Printed“).

3 – Status: parcel number ranges

Under „Status: parcel number ranges“ the still available parcel numbers within the number ranges of the client and a progress bar for the use of the respective parcel numbers are displayed. The status lists the still usable parcel label numbers for a maximum of three clients. A double-click on this field opens the dialogue window „Status: clients“ and shows all clients, if there are more than three.

Dialogue window: „Status: clients“

Depending on the client, the parcel number range used, the usage of the range and the remaining parcel numbers are displayed. In addition, you receive information as to whether the restart procedure for the parcel number range takes place automatically or whether the number range has to be reset manually by password. If you are authorised to do so, you can reset the parcel number range to the beginning via the „Reset“ button. To do this, you enter the password for resetting for the relevant client in the „Parcel number reset“ dialogue box. (Parcel label range reset: Please enter the client's password in order to reset the parcel label range)

The image shows two dialogue windows side-by-side:

- Status of clients**: A table with columns: Client, Usage, Remaining, Parcel number range, Restart behaviour, Reset. The client listed is Max Mustermann GmbH Demo.
- Reset parcel number range**: A window asking for the client's password to reset the parcel number range. It includes a password input field and OK/Cancel buttons.

4 – Progress bar

A blue bar shows the progress of a process, for example, parcel label printing. Clicking on the red square stops the current process.



Possible errors, warnings and non-imported data sets must be taken into account when you use a parcel import. If there are problems, this is marked with a red exclamation mark.

The screenshot shows a progress bar with the number 8 and a red square button. Below it is a status summary:

Errors: 0 (info icon) 0 Data records (warning icon)
Warnings: 0 not imported

2. Programme interface

The DPD Print user interface is divided into the tab bar **1**, the button bar **2**, the order list **3** and the status bar **4**.

The screenshot shows the DPD Print software interface. The window title is "DPD Print" and the version is "DELISprint Version 6.3.0.0 Client-ID: 4f468f81c88b00633".

1. Tab bar: Contains six tabs: "Dated orders (0)", "Orders for processing (27)", "Ready for pickup (0)", "All orders", "Incorrect orders (8)", and "History".

2. Button bar: Contains various icons and buttons for actions like "Create", "Edit", "Arrangement", "Printer", "Close shipping", "Close selected", "Printer", "Order search", "Import orders", "Start import service", "Configure service", "Importing data", and "Support".

3. Order list: A table with columns: Status, Product, Options, Name, City, Reference, Parcels, Weight [kg], and Client. The table contains 27 rows of order data.

4. Status bar: Contains summary information:

- Product: Options: Client: Shipment:
- Overview orders/parcels: Open 8 / 8, Checked 19 / 24, Printed 0 / 0
- Status parcel number ranges: Max Musterma... 99
- Errors: 1 (with a red plus icon), 0 Data records not imported
- Warnings: 0

2.1 Tab bar


There are six different tabs that you can switch between.

This close-up screenshot shows the tab bar of the DPD Print software. The tabs are: "Dated orders (0)", "Orders for processing (27)", "Ready for pickup (0)", "All orders", "Incorrect orders (8)", and "History". The number of orders in each tab is displayed in brackets.




Behind the title of each tab (except for „All orders“ [Alle Aufträge] and „History“) the number of orders in the relevant list is displayed in brackets.

- Orders with future date Orders not yet printed for which the dispatch date is in the future.
- Orders for processing Orders not yet printed whose dispatch date corresponds to the current date.
- Ready for pickup Printed orders for which dispatch completion has not yet been carried out.
- All orders All orders with the status „Open“, „Checked“ and „Printed“.
- Incorrect orders All orders that have the status „Open“ due to missing or invalid information.
- History All printed orders and orders transferred to DPD after dispatch completion, by default the orders of the last 100 days.
You can adjust the time period via the menu > „Configuration“ > „Settings“ > „Other“. Selecting the „History“ tab opens the filter dialogue to narrow down the search results.







2.2 Button bar


The button bar in the order pool is divided into six different functional areas.





2.2.1 Order processing




-  **Create** The „Order entry“ dialogue window opens for entering a new order.
-  **Edit** Orders that have already been entered can be edited.
-  **Delete** Marked jobs are deleted from the job list.

- 
Duplicate
Copies an already entered order, the duplicate is opened in the „Order entry“ dialogue window.

- 
Group
Selected orders that have already been entered can be combined into one order here.

- 
Change of client
Relevant clients appear that you can assign to previously selected orders. Specifically, it is possible to change a client for one or more orders that have already been entered.


- 
Online tracking
Online tracking can be started for all printed or archived orders via the parcel symbol.




You can also display the respective function/meaning of individual buttons at any time in the programme by mouse-over. To do this, move your mouse pointer over the relevant button without clicking on it so that the description appears.

2.2.2 Parcel label printing


In this area you will find various setting options for printing your parcel labels. You can also control the selection and configuration of the existing printers.




- 
Arrangement
The arrows ▼ of the „Arrangement“ button can be used to determine at which position of an A4 print sheet the first label is to be printed. The label printing is continued at the positions that follow.






Print sheets that have been started can continue to be used. To ensure that a print sheet is only printed when it is completely filled with four parcel labels, you activate the checkbox “Activate collective printing for DIN A4” via menu > „Configuration“ > „Settings“ > „Printouts“.

- 
Printer
Via the „Printer“ button, all orders that have been checked are printed out via the printer defined as the default. An alternative printer can be selected via the double arrow ▼.





The button „Printer configuration“ opens the dialogue window of the same name, which allows the creation of new printers as well as the processing and deletion of existing printers.

-  **Print (selected orders)** With this selection you only print parcel labels for the orders selected from the order list via the default printer.
-  **Reprint** Use the symbol to reprint individual orders which are selected from the order list.
-  **Print all** This button enables the printout of all orders with the status „Checked“.

2.2.3 Completing the dispatch


The „Complete dispatch“ section prepares the orders for collection by transferring shipment data including collection orders to DPD and printing shipping lists, export and hazardous goods documents.




-  **Close shipping** The button is used to complete the dispatch for all orders with the status „Checked“. First, the „Close shipping“ dialogue box opens in which you specify which documents are to be printed and which are to be created as a PDF for archiving. Click on „Complete“ to complete the dispatch.



Please note that „C:\“ is not permitted as a destination path for creating files. Make the necessary settings for data transmission under the menu „Configuration“ > „Settings“ > „Internet“ tab to ensure that DPD receives your shipment data. You can start a connection test in the „Test“ tab before the dispatch is completed.

-  **Close selected** Instead of all checked orders, this option only completes the dispatch for the orders you have selected. Just as with the option „Close shipping“, the dialogue window for the dispatch completion opens. You specify which documents are to be printed and saved. Click on „Completion“ to complete the dispatch.


-  **Printer** The button opens the „Printer configuration“ dialogue window. Here you can create new printers, edit the settings of printers already created and delete printers.



Printers that you delete here are only deleted from DPD Print, not from Windows.

2.2.4 Order search

The section „Order search“ helps to search for orders and parcel data.



First you enter a search text in the input field (e.g. DPD 12:00) and use the drop-down list to specify the fields in which to search for the text you have entered.


You can select individual or all four options via the drop-down list.



Search

You can search for keywords via the button or via the Enter key.

If an order is found with the exact search term, the order opens directly in the order entry screen for processing. If the search term applies to several orders, a selection list is first displayed from which an order can be selected for editing. You confirm your selection for editing with the „Open“ button.



Status	Product	Options	Name	City	Reference
Open		B2C, PAN	Name 28, Vorname 28	DE 63762 Großostheim	DPD Food 12:00 S..
Open	E12	EXW, PAN	Name 15, Vorname 15	DE 45739 Oer-Erkenschwick	DPD 12:00 Unfrei, ..
Open	E12		Name 14, Vorname 14	DE 45739 Oer-Erkenschwick	DPD 12:00, DE nac

Print


If you want to print a specific job directly, you activate the printer icon by clicking on it (the icon is now dark grey). Then enter your search term (e.g. a unique reference) and confirm your entry with the Enter key.

If there is one result that matches exactly, the order is printed directly. If two results are found that match the search term, you will first receive a selection list of orders that can be printed.



2.2.5 Data import


The „Data import“ section offers you various options to perform shipments via job import using import files.



Import orders

You can import a specific import file manually.

A click on the button opens the dialogue window „Import orders“, in which you can specify details for the import.



1. In the selection list, select the import structure you have previously created (see [3.3.3 Configuration of the import structure for orders \(Setup parcel import\)](#)), in the example: „Newly created import structure“).
2. Under „ Source“, use the file browser to select the import file that contains your parcel data.
3. Import your parcel data by clicking on the „Import“ button.



If manual import is used, the selected import file can be imported as often as desired (one after the other), without deleting it in the process.


Configure service


Before the option „Start import service“ can be used, the service has to be configured. This is why this menu item is looked at before the „Start import service“ option.


Please make the following basic settings:

1. From the selection list you select the import structure which you previously created (e.g. „Newly created import structure“).
2. Next you specify the import folder which is to be monitored for the automatic import. Please make sure that the folder only contains files which are intended for import.
3. At what interval should the import directory be checked for new files? Specify the number of seconds.
4. Select an import action, e.g. „ Only import orders“ or „Import with parcel label“.

5. Select a follow-up action („Move files“ or „Delete files“).
6. Specify a destination directory if you selected „Move files“ as the follow-up action.
7. Save your settings, the service is now configured.



 **Stop import service** To start the automatic import, click the „Stop import service“ button. The button changes as follows and the import remains active until you click the button again.




2.2.6 Help




In the help area you will find several options.



 **Update**


Searches for available updates for DPD Print and the route database. If an update is available, one of the checkboxes (or both) „DPD Print update“/ „Update route data“ is checked.



-  **User manual** Opens the help document for DPD Print.
-  **Website** Opens the DPD Germany website in your default web browser.
-  **Language** Opens the language selection of the DPD Print interface.

2.3 Configurable column headers

The column headings in the order pool can be selected and deselected. A click with the right-hand mouse button on a column header opens the dialogue window below it with selection fields for the available columns. In this way you can individually select and display those columns that are relevant to you.



The screenshot shows the DPD Print application interface. A dialog box titled "Configuration of order overview" is open, displaying a list of columns and their visibility status. The columns are:

Name of column	Visible	Description
Status	<input checked="" type="checkbox"/>	Order status
Product	<input checked="" type="checkbox"/>	Selected product in order
Options	<input checked="" type="checkbox"/>	Description of options
Name	<input checked="" type="checkbox"/>	Receiver address: Name
City	<input checked="" type="checkbox"/>	Receiver address: City
Reference	<input checked="" type="checkbox"/>	Order reference data
Parcels	<input checked="" type="checkbox"/>	Sum of parcels of order
Weight [kg]	<input checked="" type="checkbox"/>	Total weight of the order
MPS ID	<input type="checkbox"/>	Description for shipment ID
Client	<input checked="" type="checkbox"/>	Order client
Shipping date	<input type="checkbox"/>	Timestamp: Shipping date
Transmitted	<input type="checkbox"/>	Timestamp: Transmitted
Printed	<input type="checkbox"/>	Timestamp: Printed
Address reference	<input type="checkbox"/>	Receiver address: Reference
First parcel number	<input type="checkbox"/>	Parcel No. of the first parcel
User	<input type="checkbox"/>	User, who created the order

The background shows a list of orders with columns for Status, Product, Options, Name, City, Reference, Parcels, Weight, MPS ID, Client, Shipping date, Transmitted, Printed, Address reference, First parcel number, and User. The status bar at the bottom shows: Overview orders/parcels: Open 32 / 32, Checked 13 / 13, Printed 0 / 0; Status parcel number ranges: Max Musterma... 99; Errors: 1, Warnings: 0, 0 Data records not imported.

Column headers can always be arranged and moved by holding down the left-hand mouse button.

A left click on a column heading activates the corresponding column (e.g. alphabetically ascending), and another left click changes the sorting order (e.g. alphabetically descending). A third mouse click cancels the selected sorting order.




The most recently set view (with the individual column assignments) is saved by the system and displayed again the next time you call up the DPD Print application.

3. Menu button

The round DPD parcel button (menu access) leads you quickly and clearly to all functions related to address maintenance, shipping actions, dispatch completion management, data import and export, settings, help and user administration.




The functions which are marked with two arrows » also have an additional dialogue window with further functions.




3.1 Address administration

The menu item „Address administration“ opens the dialogue window „Address maintenance“ in which customer addresses can be created, edited and deleted.




3.2 Shipping close administration

The menu item „Shipping close administration“ provides an overview of all dispatch completions already made (transfer of shipment data to DPD). If necessary, dispatch order documents can be reprinted and data can be transferred subsequently. Detailed information on this can be found in **Chapter 5 „Dispatch completion“**.



3.3 Data import

Under „Data import“ you can import shipment data for the parcel label and addresses that were previously exported, e.g. from an enterprise resource planning system. You can import your data in the form of files of various formats manually or automatically.






For the address and data import it is absolutely necessary to define an import structure in DPD Print for the respective action in advance.

3.3.1 Performing the import of orders

With this option you can manually import a file with order data. Before doing so, please configure an import structure for orders (see [Chapter 3.3.3 Configuring the import structure for orders \(Setup parcel import\)](#)), in order to be able to use the import function.



1. In the selection list, select the import structure you created previously (in the example, „New import structure created“).
2. Then select the import file containing your parcel data under „Source“ using the file browser.
3. Import your parcel data by clicking on the „Import“ button.




When the manual import is used, the selected import file can be read in as often as desired (one after the other) without deleting it. This menu item can also be called up via the button bar, see [Chapter 2.2.5 Data import](#).

3.3.2 Performing the import of addresses

With this option you can manually import a file with address data. To be able to use the import, you must first configure an import structure for addresses (see [Chapter 3.3.4 Configuring the import structure for addresses \(Setup address import\)](#)).

3.3.3 Configuration of the import structure for orders (Setup parcel import)

Import structure section



1. Click on the „New“ button.
2. Assign a unique name for your import structure.
3. Select the input format (e.g. Microsoft Excel, CSV).
4. Select a sample import file via the file browser.



Choosing the correct coding ensures that the umlauts are displayed correctly. Keep the default setting for the time being. If an order import displays characters incorrectly, you can correct this at this point.

If necessary, adjust the text delimiter if your CSV file separates the values to be imported with a character other than the semicolon.

The Header lines field determines the number of header lines in your import file that are not to be taken into account during the import, as these are not consignment data but merely description lines.

Fieldmapping section

The „Data source“ area (right-hand side) shows the available fields of the selected source file, which serves as a template for the configuration of the import structure. The available fields also correspond to the header line (in the example header lines 1) of your import file: SHIPPING TYPE, NAME, STREET etc.). For comparison, this is what you see in the import file:

```

*Import.csv - Editor
Datei Bearbeiten Format Ansicht Hilfe
SHIPMENTTYPE;MPSCREF1;MPSCREF2;MPSCREF3;MPSCREF4;RNAME1;RNAME2;
NP;;;Name;;Street;;;DE;63741;Aschaffenburg;;;test@test.com;1;
  
```

By linking the available fields of the data source to the columns in DPD Print, the contents of the fields in your import file will later be imported into DPD Print as a value in the corresponding column.

Field mapping

More import fields	Linked columns (and import rules)	Data source
<input checked="" type="checkbox"/> Consignor	DPD Print	Data source
<input checked="" type="checkbox"/> Processing log	SHIPMENTTYPE	SHIPMENTTYPE
<input checked="" type="checkbox"/> Cash on delivery	SHIPMENTID	
<input checked="" type="checkbox"/> ParcelShop	RNAME1	RNAME1
<input checked="" type="checkbox"/> Notification	RNAME2	RNAME2
<input checked="" type="checkbox"/> Export data	RCONTACT	RCONTACT
<input checked="" type="checkbox"/> Pickup address	RADDRESSREF	
<input checked="" type="checkbox"/> ID Check	RSTREET	RSTREET
<input checked="" type="checkbox"/> Department delivery	RHOUSENO	RHOUSENO
<input checked="" type="checkbox"/> Higher insurance	RCOUNTRY	RCOUNTRY
<input checked="" type="checkbox"/> Time-specific delivery	RSTATE	
<input checked="" type="checkbox"/> Limited quantity	RPOSTAL	RPOSTAL
<input checked="" type="checkbox"/> Hazardous goods	RCITY	RCITY
	RADDRESSINFO	RADDRESSINFO
	RPHONE	RPHONE
	RFAX	
	REMAIL	REMAIL
	RMOBILEPHONE	
	WEIGHT	WEIGHT
	LENGTH	LENGTH
	WIDTH	WIDTH
	HEIGHT	HEIGHT
	MPSCREF1	MPSCREF1
		MPSCREF2
		MPSCREF3
		MPSCREF4
		RNAME1
		RNAME2
		RSTREET
		RHOUSENO
		RADDRESSINFO
		RCOUNTRY
		RPOSTAL
		RCITY
		RCONTACT
		RPHONE
		REMAIL
		LENGTH
		WEIGHT
		HEIGHT
		WIDTH
		PARCELREF1
		PARCELREF2

1. Link the available data of the import file with the columns in DPD Print. For this purpose you first select the field to be linked on the right under „Data source“ by clicking with the mouse.
2. Then select the appropriate DPD Print column.
3. Link the two by clicking on the link symbol. Alternatively, you can simply drag and drop a field from the „Data source“ on the right to the corresponding target.
4. Link at least all data fields highlighted in bold (SHIPMENTTYPE, RNAME1, RSTREET ...).
5. When all fields have been linked correctly, save your import structure with „Save“.



All data fields that are mandatory for the import are highlighted in bold (SHIPMENTTYPE, RNAME1, RSTREET ...).

You can also use the „Automatic mapping“ option if the fields in your import file match the names of the columns in DPD Print exactly (e.g. by adapting your import file accordingly in advance). In this case all fields with the same name in DPD Print are automatically linked to the target fields with a click of the mouse.

A list and description of all fields that can be linked for an order import can be found in the document „Overview of import fields for the import of shipments and addresses“, which is available for dpd.com/de/de/dpd-print.

3.3.4 Configuration of the import structure for addresses (Setup address import)

Import structure section

1. Select the button „New“.
2. Enter a unique name for your address import structure.
3. Select the input format (e.g. Microsoft Excel, CSV).
4. Select a sample import file via the file browser.



Choosing the correct coding ensures that the umlauts are displayed correctly. Keep the default setting for the time being. If an import displays characters incorrectly, you can correct this at the relevant point.

If necessary, adjust the text delimiter if your CSV file separates the values to be imported with a character other than the semicolon.

Header lines are header lines in your import file that should not be taken into account during the import, as they are not consignment data but merely description lines.

Fieldmapping section

The „Data source“ section (right-hand side) shows the available fields of the selected source file, which serves as a template for the configuration of the address import structure. The available fields also correspond to the header line (header line 1 in the example) of your address file: ADDRESSREF, NAME1, NAME2 etc. For comparison, a view of the address file (excerpt):

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
1	NAME1	NAME2	STREET	HOUSENO	COUNTRY	STATE	POSTAL	CITY	CONTACT	ADDRESSINFO	PHONE	FAX	EMAIL	MOBILEPHONE	ADDRESSREF	ILN	TYP	SENDERADDRESS
2	Name 1		Street 1				63796	Aschaffenburg					Test@test.com					
3	Name 2		Street 2				63796	Aschaffenburg					Test@test.com					
4	Name 3		Street 3				63796	Aschaffenburg					Test@test.com					

1. Link the available data in the address file with the columns in DPD Print. For this purpose, first select the field to be linked on the right under „Data source“ by clicking on it.
2. Then select the appropriate DPD Print column.
3. Link the two using the link button. Alternatively, you can simply drag and drop a field from the data source on the right to the corresponding target, or use the „Automatic mapping“ button if the field names in the address file match the field names in DPD Print.
4. When all the fields have been correctly linked, save your address structure with „Save“.

Selected configuration: **adressimport New : CSV** [Copy] [New] [Save] [Delete]

Import structure

Name: adressimport New

Input format: CSV

Source: C:\DPD\Import\Adressimport.csv

User/ password: [] []

Table: CSV

Link as external addressbook

Encoding: UTF-8

CSV text separator / field separator: " ;

Header lines: 1

Fixed length: []

Field mapping

DPD Print	Data source	Rules (if needed)
NAME1	NAME1	
NAME2	NAME2	
STREET	STREET	
HOUSENO	HOUSENO	
COUNTRY	COUNTRY	
STATE	STATE	
POSTAL	POSTAL	
CITY	CITY	
CONTACT	CONTACT	
ADDRESSINFO	ADDRESSINFO	
PHONE	PHONE	
FAX	FAX	
EMAIL	EMAIL	
MOBILEPHONE	MOBILEPHONE	
ADDRESSREF	ADDRESSREF	
ILN	ILN	
TYP	TYP	
SENDERADDRESS	SENDERADDRESS	

Data source

NAME1
NAME2
STREET
HOUSENO
COUNTRY
STATE
POSTAL
CITY
CONTACT
ADDRESSINFO
PHONE
FAX
EMAIL
MOBILEPHONE
ADDRESSREF
ILN
TYP
SENDERADDRESS


Automatic mapping []

Import rule []


Test import []

Example files []

3.4 Data export




In the next step, the menu item „Data export“ provides the following options:



When selecting an export option, please specify a destination folder for saving the relevant file and select the export options that are important to you, if they are requested by the programme.


3.5 Configuration



Some important points of the submenu „Configuration“ for customers are described below.


3.5.1 Tab: „Internet“ > connection settings

To ensure the transmission of your shipment data to DPD, please make sure that your internet connection settings are correct. This is necessary, for example, if you use a proxy server. Click on the „Test“ button to check whether the connection is working in general.




3.5.2 Tab: „Printouts“ > activate collective printing for DIN A4

If you print your parcel labels on A4 sheets of paper, we recommend that you activate the option „Collective printing for A4“. In this way, a sheet of paper is only released for printing when four parcel labels are waiting to be printed. Of course, you can also print incomplete sheets if necessary (e.g. for a dispatch completion).




3.5.3 Tab: „Order“ > deactivate warnings

Warnings are not errors in the order entry process. An order can be saved in spite of a warning and receives the status „Checked“ if all the necessary information is available. DPD Print also enables the house number to be entered in the street field and not separately in the house number field. In order not to receive individual warnings per order, you can deactivate the two checkboxes marked below.



3.5.4 Tab: „ Services“ > automatic database backup

DPD Print enables an automatic, recurring database backup. To do this, make the following settings in the „Automatic database backup“ section:



Restart time

Time at which the server service is restarted (only applies to network installations).

Automatic backup active

This checkbox must be activated.


Maximum number of backups

The default value is 10, which means that 10 database backups are stored until the first and oldest backup is overwritten with a new database backup.


Backup directory

Clicking on the folder symbol opens the file browser to select the storage location for the database backup to be made.


3.6 Tools



You can use the following aids: „System report“, „Reset local settings“, „Create database backup“ and „Import database backup“.



The „System report“ button generates important log files and a PDF file with DPD Print version information that you can send to a member of the DPD support team or to your local administrator to enable error analysis.



The „Create database backup“ option creates an image of your current DPD Print database with all orders and configuration settings.



Since in exceptional cases a database may no longer function, we recommend that you create a database backup at regular intervals to prevent the loss of address data, tracking data and programme settings, for example.

Database backup single workstation installation

If you have installed DPD Print as a single workstation, clicking on the „Create database backup“ button opens a file browser which you can use to select the storage location on your local PC where the database backup is to be stored.


Network installation/database backup server with single workstation(s)

With a network installation you don't have the option of selecting a storage location for a database backup. After selecting the button, only the security query is displayed asking whether the database backup should be stored in the folder C:/ProgramData/DPD/DPDPrint/data/backup (default directory for network installations) on your server. Example:



A previously created database backup can be read into DPD Print via the menu item „Install database backup“.

3.7 Support



The most important points of the „Support“ submenu are explained below.



Search for Update

Searches for available updates for DPD Print and the route database. If an update is available, the corresponding checkbox is ticked.

Application update

Synchronisation and update
"Online update" is checking for updates of the application/ routing data. Alternatively, you can perform an offline routing data update with the button "Manual update".

DPD Print Update Details

Update routing data

Free space (DB) 148.55 GB Update size 21.16 KB
Free space (APP) 148.55 GB

Online update (recommended) Manual update

Import the updates on the next restart of the server
 Importing updates immediately (note: server / clients are restarted)

Note
Updates are available.

Start update Cancel Help



Remote Support

In the event of support you can grant a DPD employee access to your computer so that he or she can support you by remote control of your PC.



User data and settings

When this is selected, a dialogue window with the same name opens.

User data and settings

User data
User ID: Admin
Password:
Password confirmation:

User role
Administrative role: System administrator

Clients
Standard client: DPD Deutschland GmbH

Client	Rights
Unfrei Test	Manager
DPD Deutschland GmbH	Manager

Cost centres
Standard cost centre: (without preselection)

Assigned cost centres

OK Close

In the section „User data“, you can manually set the password of a user with the corresponding authorisation.

In the section „Clients“, a client that is active by default for the user can be selected for pre-setting. In the section „Cost centres“ you can select a default cost centre.



The chosen password should consist of at least six characters and/or digits.

4. Order creation

Click on the „Create“ button to open the order entry. Mandatory fields that must be filled in are always highlighted in red and may vary depending on the product and service selected.



Orders can only be printed after **all** the relevant data has been entered. Please be sure to include a parcel weight, even though this is not a required field for every product.

The screenshot shows the 'Order creation' window with the following sections:

- Consignee:** Name 1, Name 2, Contact pers..., Reference, Street/ house..., Country/post.. (DE), Address info, Telephone, Fax, Email, Mobile (+49).
- Products:** DPD CLASSIC, DPD 8:30, DPD 10:00, DPD 12:00, DPD 18:00 / GUA, DPD EXPRESS, DPD Same Day, DPD MAX, DPD PARCELletter, DPD Mail, B2C return.
- Options:** B2C / Predict, Cash on delivery, Collection request, Complete delivery, Department delivery, Ex works, Exchange, Food, Hazardous goods, Higher insurance, ID check, Limited Quantities (LQ), Notification, ParcelShop delivery, Saturday delivery, Time-specific delivery, Tyre.
- References:** Reference 1/2, Reference 3/4, Shipping date (2/23/22).
- Parcels:** Parcel quantity (1), Copy, Insert, Delete, Online Tracking.
- Additional information:** Overview, Additional print of a B2C Return parcel label for each parcel.
- Table:**

Parcel label num...	Reference information (at parcel level)	Weight [kg]	Small parcel	Length [cm]	Width [cm]	Height [cm]
(1)		0.00	<input type="checkbox"/>	0.0	0.0	0.0
- Actions:** Automatic parcel label printing, Display warnings, New after saving, Save & close, Print & close, Discard/ close.

4.1 Header and shipper address

Client selection field

The screenshot shows the top header of the 'Order creation' window. The first dropdown menu, labeled 'DPD Deutschland GmbH', is highlighted in yellow. Other dropdowns include 'DPD Deutschland GmbH ::', '(without preselection)', and another '(without preselection)'.

In this first selection list field, a client (shipper) must be selected for a new order. By default, the standard client selected in the system configuration for the respective user is stored here. If this is not defined, the system automatically adopts the first available client, if several clients are active in DPD Print.

Selection of shipper

The screenshot shows the 'Order creation' window with a dropdown menu for 'Send Address 2' highlighted in yellow. The window title is 'Order creation' and it contains several other dropdown menus, including 'DPD Deutschland GmbH' and '(without preselection)'.

If you have created addresses of the type „Shipper address“ in the address management, these can be selected for a different shipper address in the second selection list (e.g. if a company has several locations or an order is sent in the name of a customer).

Changing the shipper address manually or selecting it from the address book

For a manual adjustment of the shipper address, click on the pencil icon to delete the currently displayed shipper data and enter new shipper data. The pencil symbol is displayed crossed out at this point, while a second click hides the entry screen for the shipper address again.

The screenshot shows the 'Order creation' window with a dropdown menu for 'Send Address 1' highlighted in yellow. The window contains two sections: 'Consignor' and 'Consignee'. Each section has fields for Name 1, Name 2, Contact person, Reference, Street/house number, Country/postcode/city, Address info, Telephone, Fax, Email, and Mobile. The 'Consignee' section also has a 'Save in address book' checkbox and an 'Info email for the order' checkbox.

To select a specific alternative shipper address, click on the book symbol, which opens the address maintenance. An existing shipper address can be adopted either by double-clicking on the desired address or by selecting the address with a mouse click and confirming with „OK“.

The screenshot shows the 'Address administration' window. It has a 'Filter' section with fields for 'Selected address book', 'Name', 'Street', 'Reference', and 'Country/postcode/city'. Below the filter is a table of addresses:

Name 1	Name 2	Street	No.	Additional informat...	Coun...	Postcode	City	Re
Send Address 1		Test Street	1		DE	63741	Aschaffenburg	
Send Address 2		Test Street	2		DE	63741	Aschaffenburg	

Below the table is an 'Edit' form with fields for Reference, Name 1, Name 2, Contact person, Street/house No., Country/postcode, Additional inform..., Address type (Business/Private), Phone, Fax, Email, and Mobile. There are also buttons for 'New', 'Save', 'Delete', 'Duplicate', 'OK', 'Cancel', and 'Help'.


Order template - selection field

The screenshot shows the 'Order creation' window with a dropdown menu for 'Send Address 1' highlighted in yellow. The window title is 'Order creation' and it contains several other dropdown menus, including 'DPD Deutschland GmbH' and '(without preselection)'.

Order templates can first be created via menu > „Configuration“ > „Settings“ > tab „Order templates“. Existing templates can be preselected at the point for an order.

4.2 Consignee address

To enter consignee data manually, fill in all the mandatory fields highlighted in red. By selecting the „Save in address book“ checkbox, newly entered addresses are automatically saved in the address book after the parcel label has been printed.



Order creation

DPD Deutschland GmbH | DPD Deutschland GmbH :: | (without preselection) | (without preselection)

Consignee

Name 1 [Red] Street/ house... [Red] Telephone [Orange]


Name 2 [White] Country/ post... DE [Red] [Red] Fax [White]

Contact pers... [White] Address info [White] Email [White]

Reference [White] Save in address book Info email for the order Mobile +49 [White]

Suggestion list (auto function)

When the consignee address is entered in the „Name 1“ field, DPD Print already searches for identical stored addresses in the database. During the entry a selection list of matching contacts from the address book appears. The suggested addresses can be accepted by clicking on the corresponding name.



Order creation

DPD Deutschland GmbH | DPD Deutschland GmbH :: | (without preselection) | (without preselection)

Consignee

Name 1 T Street/ house... Telephone

Name 2 Test receiver 1 DE 63741 Aschaffenburg

Contact pers... Test receiver 2 DE 63741 Aschaffenburg

Reference Save in address book Info email for the order Mobile +49

The ALT key closes and opens the suggestion list.



Selection of a consignee address from the address book

A click on the button with the book symbol next to the input fields for „Name 1“, „Name 2“, „Contact person“ and „Reference“ opens the „Address maintenance“ dialogue window. Here you can access and edit addresses that have already been saved. New consignee addresses can also be created.

4.3 Products, options

In this area you select the desired product and service combination. Depending on your desired product, you will be offered possible additional services that you can select by checking the relevant checkbox. Greyed-out products and options are either not activated for your shipment, cannot be combined or are not permitted for the corresponding route (country, postcode).

The screenshot displays the DPD shipping configuration interface. It is divided into several sections:

- Products:** A grid of checkboxes for various services. DPD CLASSIC, DPD 8:30, DPD 10:00, **DPD 12:00**, DPD 18:00 / GUA, DPD EXPRESS, DPD Same Day, DPD MAX, DPD PARCELletter, DPD Mail, B2C return.
- Options:** A grid of checkboxes for additional services. **B2C / Predict**, Cash on delivery, Collection request, Complete delivery, Department delivery, Ex works, Exchange, Food, Hazardous goods, **Higher insurance**, ID check, Limited Quantities (LQ), Notification, ParcelShop delivery, Saturday delivery, Time-specific delivery, Tyre.
- References:** Fields for Reference 1/2 (Printed on package), Reference 3/4 (Printed on package), and Shipping date (2/23/22).
- Parcels:** A section with a 'New' button, a 'Parcel quantity' input (1), and buttons for 'Copy', 'Insert', and 'Delete'. An 'Online Tracking' icon is also present.
- Additional information:** A panel on the right with tabs for 'Overview' and 'Notification'. The 'Notification' tab is active, showing a form with 'Type' (Email), 'Language' (DE), and 'Email/telephone' (Test@test.com).



Depending on the type of product and service you have selected, you may have to enter further (data in the „Additional information“ window on the right, for example customs information when you ship DPD EXPRESS to non-EU countries. In principle, however, the system informs you of incorrect combinations and missing information when you save an order.

In the following, some important products are explained with the associated options for making entries.

4.3.1 Entry: DPD EXPRESS (international shipping)

The DPD EXPRESS product is used to ship parcels to third/export countries. For this purpose export data is requested in order to be able to transport the parcels across customs borders or by international air transport.



The route database provides the information about when which type of export data must be entered. The parcel type is also a mandatory field.

Export and invoice data

For the DPD EXPRESS product type, the „Export data“ tab appears first in the „Additional information“ section, where the shipment type (possible selection „Document“ or „Parcel“) must be specified. If „Document“ is selected, the mandatory fields highlighted in red must be filled in. If the „Parcel“ type is selected, the tab „Invoice data“ appears, which asks for additional information such as the invoice number as well as the articles within the consignment with details of the goods tariff number(s), value of goods, country of origin, etc.

The screenshot shows the main shipping software interface. On the left, there are sections for 'Products' (DPD CLASSIC, DPD 8:30, DPD 10:00, DPD 12:00, DPD 18:00 / GUA, DPD EXPRESS, DPD Same Day, DPD MAX, DPD PARCELLetter, DPD Mail, B2C return), 'Options' (B2C / Predict, Cash on delivery, Collection request, Complete delivery, Department delivery, Ex works, Exchange, Food, Hazardous goods, Higher insurance, ID check, Limited Quantities (LQ), Notification, ParcelShop delivery, Saturday delivery, Time-specific delivery, Tyre), 'References' (Reference 1/2, Reference 3/4, Shipping date: 2/23/22), and 'Parcels' (Parcel quantity: 1, Copy, Insert, Delete, Online Tracking). On the right, the 'Additional information' section is open, showing 'Overview', 'Export data', and 'Invoice data' tabs. The 'Export data' tab is highlighted in yellow, and a yellow arrow points from it to the 'Export data' dialog box below. The 'Invoice data' tab is also highlighted in yellow. The 'Invoice details' section shows 'Parcel type' set to 'Parcel', 'Terms of deliv...' set to 'DDP, delivered duty paid (incl. duties and excl. taxes)', and 'Total customs...' set to '0.00 EUR'. The 'Accompanying...' section has checkboxes for 'Commercial invoice', 'Pro forma invoice', 'Export declaration', 'EUR1', 'ATR', and 'Delivery note'.

The 'Export data' dialog box is shown. It has a title bar with a red 'X' icon and the text 'Export data'. The 'Invoice data' section contains 'Invoice number' (4711) and 'Invoice date' (2/23/22). Below this is the 'Invoice articles' section, which contains a table with the following data:

Nr.	Amount	Article	Customs tariff number	Value of goods	Country of origin	Net weight (kg)	Gross weight (kg)
1	50	Test goods 1	44335577	150.00	AD	10.00	12.00
2	30	Test goods 2	77338822	50.00	BS	10.00	15.00

At the bottom of the dialog box, there are buttons for 'New', 'Delete', 'OK', 'Cancel', and 'Help'.

Invoice items

A maximum of 99 invoice items (lines) can be entered.

Number

The maximum number of articles per invoice item is 9999.

Goods tariff No.

The goods tariff number must have at least eight digits.

Net/gross weight

One of the two fields is mandatory. The net weight must be less than or equal to the gross weight.

Customs invoice address

The customs invoice address is preset by default with the consignee address of the order. You can store an alternative invoice address (pencil icon) or select an invoice address from the address book (book icon).

The image shows two screenshots of the 'Additional information' form. The left screenshot shows the 'Invoice address customs' section with a pencil icon next to the 'Name 1' field. The right screenshot shows the same section with a book icon next to the 'Name 1' field.

The country of the invoice recipient and the country of the consignee address must be identical.



4.3.2 Entry of an exchange parcel with return shipment

If the option „Exchange“ has been selected, clicking on the displayed button „Return“ in the area „Additional information“ opens a dialogue window in which the delivery address for the return can be edited. By default, the shipper's address is stored here, but this can be edited by clicking on the crossed-out pencil icon or replaced by an alternative address by clicking on the book icon.

The image shows a screenshot of the 'Additional information' form. The 'Exchange' option is selected. The 'Return' button is visible. The 'Delivery address for return' section is shown with the following details:

Name 1	DPD Deutschland GmbH	
Name 2		
Contact person		
Street/ house N...	Stockstädter Str.	10
Country/ postco...	DE	63762 Großostheim
Address info		
Telephone/ fax	+49 (0) 6026 9762 6204	
Email	cit@dpd.de	

Operational procedure for exchange parcels

On the outward journey, the exchange service is a normal parcel with the additional instruction for the delivery driver to take this or another parcel straight back with him at the delivery address. The corresponding parcel label for the return shipment is sent or enclosed with the parcel. The consignee's address is printed as the sender's address on the return parcel label and the references of the order are copied.

The following parcel labels are created:

1. Label for the outward journey (normal parcel label)
2. Additional exchange label (will be attached to the outward parcel)
3. Parcel label for the return journey (enclosed with the parcel)



In this case, there are shipper / consignee addresses that differ from the order (see above). The reference data of the outward journey is also printed for the return journey. The weight is set to 0 kg for the return journey (because it is not known at the time the parcel label is printed).

4. A receipt for the parcel that is collected by the driver (enclosed with the parcel).

4.3.3 Entry of a parcel shop delivery

Parcels can be sent to a Pickup parcelshop for collection. For this purpose, the consignee data for the parcel is entered as usual in the order entry. In the option „Parcelshop delivery“ you can store the parcel shop information and in this way make a selection for a suitable parcel shop. Parcel shop information is called up with the button .

The „Parcelshop search“ lists all relevant parcel shops for the consignee location and the distance entered.

ParcelShop search

Parameters for the surrounding area search

Country: DE Post: 63741 City: Aschaffenburg Distance (km): 10 Search in surr...

Name	Street	Postcode	City	Distance
Häger Stoffe	Hafenrandstraße	63741	Aschaffenburg	1.3 km
Keops Shop	Maximilianstraße	63739	Aschaffenburg	1.3 km
YG Cut	Ludwigstraße	63739	Aschaffenburg	1.8 km
Daniels American Corner	Treibgasse	63739	Aschaffenburg	2.0 km
Götz GmbH	Wiesnerstraße	63741	Aschaffenburg	2.3 km
City Markt	Sandgasse	63739	Aschaffenburg	2.3 km
Agip Service Station	Platanenallee	63739	Aschaffenburg	2.5 km
Bäckerei Konditorei Ralf Bernhard	Alexandrastraße	63739	Aschaffenburg	2.6 km
NKD Deutschland GmbH	Taunusstraße	63811	Stockstadt A. Main	3.4 km
Pajung E-Bikes	Molkenbornstraße	63743	Aschaffenburg	4.1 km
NKD Deutschland GmbH	Josef-Hepp-Straße	63801	Kleinstheim	4.1 km

ParcelShop details

Distance (km): 1.25

Name: Häger Stoffe

Street/ house No.: Hafenrandstraße

Country/ postcode...: DE 63741 Aschaffenburg

Telephone:

More information about the ParcelShop on the Internet <http://www.dpd.com/>

Opening hours

	from - to	from - to
Monday	09:00 12:00	12:00 17:00
Tuesday	09:00 12:00	12:00 17:00
Wednesday	09:00 12:00	12:00 17:00
Thursday	09:00 12:00	12:00 17:00
Friday	09:00 12:00	12:00 17:00
Saturday		
Sunday		

Confirm Cancel

If you click on „Surrounding area search“, the system automatically searches for parcel shops that are within the specified distance from the relevant location. If the system is unable to find any parcel shops within this radius, the nearest parcel shops are automatically displayed, together with the exact distance to the delivery address and the required details (address, telephone number, opening hours).



If the value for „Distance (km)“ has been changed, the button for the „Surrounding area search“ may have to be clicked on once more in order to update the list of the results.

The „Accept“ button accepts the data of a parcel shop, which after that cannot be changed again.

Additional information

Overview Notification ParcelShop delivery

ParcelShop information

Name: Lotto Shop Lange

Street/ house No.: Würzburger Strasse 116

Country/ postco...: DE 63808 Haibach

Telephone: _____

Select ParcelShop

4.3.4 Entry of collection requests

Collection request orders can only be entered if you are enabled for the service in your configuration file. If „Collection request“ is selected in the „Options“ section, the designation of the upper left address block changes from „Consignee“ to „Collection“, because the collection is made from the address of the collection request parcel and returned to the address of the selected client.

In addition, it is possible to enter an alternative delivery address for the collection request in the „Additional details“ field. This is helpful if, for example, the return parcel is not to be delivered to the usual client address, but to a warehouse that is located in a different location from the client’s head office.

Order creation

DPD Deutschland GmbH | DPD Deutschland GmbH | (ohne Vorbelegung) | (without preselection)

Consignor

Name 1: DPD Deutschland GmbH | Street/ house...: Stockstädter Str. 10 | Telephone: +49 (0) 6026 9762 6204

Name 2: _____ | Country/ postco...: DE 63762 Großostheim | Fax: _____

Contact pers...: _____ | Address info: _____ | Email: cit@dpd.de

Pickup

Name 1: Test receiver 1 | Street/ house...: Test Street 5 | Telephone: 123456789

Name 2: _____ | Country/ postco...: DE 63741 Aschaffenburg | Fax: _____

Contact pers...: _____ | Address info: _____ | Email: Test@test.com

Reference: _____ | Save in address book | Info email for the order | Mobile: _____

Products

DPD CLASSIC | DPD 18:00 / GUA | DPD PARCELLetter

DPD 8:30 | DPD EXPRESS | DPD Mail

DPD 10:00 | DPD Same Day | B2C return

DPD 12:00 | DPD MAX

B2C / Predict | Exchange | Notification

Cash on delivery | Food | ParcelShop delivery

Options

Collection request | Hazardous goods | Saturday delivery

Complete delivery | Higher insurance | Time-specific delivery

Department delivery | ID check | Tyre

Ex works | Limited Quantities (LQ)

References

You have the possibility to enter your data to the reference information fields. The fields have the following purpose: **No. 1** - online tracking, **No. 2** - print on parcel label, **No. 3** - display on receipt and depot documents, **No. 4** - content.

Shipping date: 2/23/22

Parcels

Parcel quantity: 1 | Copy | Insert | Delete | Online Tracking

Additional information

Overview Return

Pickup date: 2/24/22

Delivery address for return

Name 1: DPD Deutschland GmbH

Name 2: _____

Contact person: _____

Street/ house N...: Stockstädter Str. 10

Country/ postco...: DE 63762 Großostheim

Address info: _____

Telephone/ fax: +49 (0) 6026 9762 6204

Email: cit@dpd.de

Parcel label number	Reference information (at parcel level)	Weight [kg]	Length [cm]	Width [cm]	Height [cm]
(1)	No. 1: Test Information 1	0.00	0.0	0.0	0.0
	No. 2: Test Information 2				

Actions

Automatic parcel label printing | Display warnings

New after saving

Save & close | Transmit & close | Discard/ close

You can enter further details for the collection request via the reference information in the relevant parcel line.



In the case of collection requests no parcel label is created, which is why the „Print & close“ button changes to „Transfer & close“ when the „Collection request“ option is selected. If you want your order to be transmitted only with the dispatch completion, first select „Save and close“ and then, in the dispatch completion dialogue, select the checkbox „Include checked collection orders in the shipping close“.

Overview of selected orders/ parcels

Checked	<div style="width: 100%; height: 10px; background-color: red;"></div>	22
Printed	<div style="width: 25%; height: 10px; background-color: green;"></div>	5

Include unprinted orders in the shipping close
 Include checked collection requests in the shipping close

4.3.5 Notifications in the case of express products

When you are sending express products, you have the option to send a notification to your consignee at different stages of the shipping process. To do this you must select „Notification“ under „Options“. In the dialogue window of the same name under „Additional information“ you can select or enter the notification type, the language as well as the data (for the type „Email“ an email address is required, and for the type „SMS“ a mobile phone number).

Possible events for the time of a notification are: inbound from consignor scanning, receipt, outbound scanning, delivery, non-delivery.

Products

DPD CLASSIC DPD 18:00 / GUA DPD PARCELLetter

DPD 8:30 DPD EXPRESS DPD Mail

DPD 10:00 DPD Same Day B2C return

DPD 12:00 DPD MAX

Options

B2C / Predict Exchange **Notification**

Cash on delivery Food ParcelShop delivery

Collection request Hazardous goods Saturday delivery

Complete delivery Higher insurance Time-specific delivery

Department delivery ID check Tyre

Ex works Limited Quantities (LQ)

References

Reference 1/2

Reference 3/4

Shipping date

Parcels

New Parcel quantity

Online Tracking

Additional information

Notification

Notification 1/5

Type

Language

Email/telephone

Event Pick-up Delivery

Inbound Non-del

Out for delivery

Notification 2/5

Type

Language

Email/telephone

Event Pick-up Delivery

Inbound Non-del

Out for delivery




Notification by telephone is only permitted for the DPD 8:30 product. Up to five notifications can be activated.

4.4 References, parcels

References section


The „References“ section has a total of four reference fields in which freely selectable additional information such as an invoice or customer number can be entered.



Please note that only the contents of the fields „Reference 1/2“ are printed on the parcel label.

Parcels section

In the „Parcels“ section you can enter up to 999 parcel datasets per order. Additional parcels can be created and existing parcel lines can be copied or deleted.




Parcel label number	Reference information (at parcel level)	Weight [kg]	Length [cm]	Width [cm] ▲	Height [cm]
(1)	Parcel 1	2.10	0.0	0.0	0.0
(2)	Parcel 2	30.00	0.0	0.0	0.0
(3)	Parcel 3	22.00	0.0	0.0	0.0
(4)	Parcel 4	14.00	0.0	0.0	0.0
(5)	Parcel 5	5.10	0.0	0.0	0.0




New

The „New“ button adds another parcel line to the order for processing (without weight, length, width, height).




Parcel quantity

The input field „Parcel quantity“ makes it possible to add x number of parcel lines at once by clicking on the small „New“ button. The action can only be carried out once. Another click on the „New“ button adds only one parcel line at a time, and the entry for the previous quantity is ignored.




Copy

Copy: copies to the clipboard the data from one or more parcel lines previously selected with the mouse.




Insert

Insert: pastes the previously copied parcel lines at the end of the list.



Delete

Delete: Deletes the parcel lines that have been selected with the mouse.




Online Tracking

Use this button to open the shipment tracking in your standard internet browser. However, this is only possible if the relevant order has already been printed and a unique parcel label number has been assigned. Otherwise the button is greyed out and inactive.

5. Close shipping

5.1 Closing the shipping


With the „Close shipping“ function those orders that have been entered are prepared for collection by transferring the order data and collection requests to DPD. In addition, you can use the „Close shipping“ function to create the pick-up lists, export papers and hazardous goods documents for the parcel labels that have already been printed out. You can choose to complete the dispatch for all current orders that have been entered in full, or only for selected orders in the order list (see [Chapter 2.2.3 Completing the dispatch](#)):




You should first make the settings for data transmission via the menu > „Configuration“ > „Settings“ > and then „Internet“ tab.

It is essential for you to transfer your shipment data to DPD. You should carry out the transmission of your data (notification data) at the latest when your parcels are picked up by the DPD driver, so that the data is available when the parcels reach the depot.

For more information on notification data, please refer to our generally applicable Data Quality Guide: https://esolutions.dpd.com/dokumente/Data_Quality_Guide_DE.pdf



Click on the button to open the „Close shipping“ dialogue window, in which you can specify whether and which lists and overviews are to be printed or saved as PDF files:



Print shipping list

Prints the dispatch list of the orders of the dispatch completion, listed per client.

Create shipping list

Creates the dispatch list of the dispatch completion orders, listed per client.

Target path


Specifies in which folder the created documents (if PDF is selected) are to be saved.



Please note that it is not possible to store your documents under C:\ on your data medium.

Overview of selected orders/parcels

Lists the number of orders that have been checked (not yet printed) and already printed.




Include unprinted orders in the shipping close


The checkbox enables the printing of orders not yet printed and includes the data of the orders in the dispatch completion.

Include checked collection requests in the shipping close


Includes in the dispatch completion any collection requests that have not yet been transmitted.




The „Close selected“ button starts the dispatch completion exclusively for orders previously selected in the order list. For this purpose, orders that have been checked but not yet printed („Orders for processing“ tab) or orders that have already been printed („Ready for pickup“ tab) can be selected. Open orders are not included.



A click on the „Printer“ button opens a menu that allows you to select a printer that has already been set up (green tick is set). By selecting the button „Printer configuration“, printers can be newly created, printers already set up can be processed or also deleted.





Close shipping

If an exclamation mark flashes yellow/red next to the „Close shipping“ button, the user is reminded to complete the dispatch process.

5.2 Shipping close administration

Dispatch completions that have already been carried out are listed in the dispatch completion management. It is possible here to retransmit the data of a particular completion and to reprint the shipping list (e.g. if there is no Internet connection at the time of transmission).

Shipping close administration

Date/ time	Client	User	Orders	Parcels	Shipping list	Shipping overview	Data transmission
23.02.2022 11:21:07	Unfrei Test Testus...	Admin	2	102		----	Done
23.02.2022 11:20:57	DPD Deutschland ...	Admin	24	24		----	Done
06.01.2022 10:26:31	DPD Deutschland ...	Admin	1	1 saved		----	Done
28.12.2021 16:32:48	DPD Deutschland ...	Admin	1	1 saved		----	Done
28.12.2021 13:52:00	DPD Deutschland ...	Admin	1	1 saved		----	Done
21.12.2021 13:52:43	DPD Deutschland ...	Admin	1	22 saved		----	Done
08.12.2021 13:32:40	DPD Deutschland ...	Admin	1	1 saved/printed		----	Done

Buttons: Reprint, Retry transmission

Orders

Product	Options	Name	City	Reference	Parcels	Weight [kg]
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00

Buttons: Details, OK, Help



If it has not been possible to transmit the data of a dispatch completion, only the remark „----“ can be seen in the „Data transmission“ column. In this case, it is essential for you to re-transmit the relevant dispatch completion so that no additional costs are charged due to missing notification data.


For this purpose you select the corresponding dispatch completion with the mouse and click on the button „Repeat transmission“ until the status „Completed“ is displayed in the „Data transmission“ column. The dispatch completion can only be performed by a user with the „Administrator“ role.

Shipping closes section

Dispatch completions that have already been carried out are listed with the date / time, client, total orders, total number of parcels, etc.

Date/ time	Client	User	Orders	Parcels	Shipping list	Shipping overview	Data transmission
23.02.2022 11:21:07	Unfrei Test Testus...	Admin	2	102		----	Done
23.02.2022 11:20:57	DPD Deutschland ...	Admin	24	24		----	Done
06.01.2022 10:26:31	DPD Deutschland ...	Admin	1	1 saved		----	Done
28.12.2021 16:32:48	DPD Deutschland ...	Admin	1	1 saved		----	Done
28.12.2021 13:52:00	DPD Deutschland ...	Admin	1	1 saved		----	Done
21.12.2021 13:52:43	DPD Deutschland ...	Admin	1	22 saved		----	Done
08.12.2021 13:32:40	DPD Deutschland ...	Admin	1	1 saved/printed		----	Done

Buttons: Reprint, Retry transmission



Reprint: opens the „Reprint shipping closes“ dialog box by specifying which lists and overviews you want to reprint on a printer and/or store as PDF files while specifying a target folder.

Retry transmission

Repeat transmission: Transmits the data of the selected dispatch completion to DPD once again (Internet settings must be configured: Menu > „Configuration“ > „Settings“ > Tab „Internet“).



The data transmission is only successful when the status „Implemented“ is displayed in the data transmission field.

Orders section

This list shows in detail the orders belonging to the selected client in the relevant dispatch completion (highlighted in blue). By clicking on a dispatch completion in the upper „Completions“ area you can, if required, display the archived, already printed orders according to product, consignee data, number of parcels, weight, etc.

Product	Options	Name	City	Reference	Parcels	Weight [kg]	
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00	▲
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00	
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00	≡
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00	
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00	
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00	
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00	
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00	
NP	CRO	Test receiver 1	DE 63741 Aschaffenburg		1	0.00	▼

[Details](#)

6. Function keys and key combinations

For faster processing, important order entry functions are also available via the function keys (F1-F12) or as key combinations.

Function keys for blocks in the order entry process

F1	Help	Opens the help topics
F3	Search	E.g. it is possible to search details in the parcel list
F4	Client	Activates the client selection list in an order that is open
F5	Consignee	Places the cursor in the „Name 1“ field for consignee
F7	Options	Places the cursor in the first checkbox of the options
F9	Parcel quantity	Places the cursor in the input field at „Number of parcels“
F10	Parcel reference	Places the cursor in the field „Reference information“ of the parcel list
F11	Parcel weight	Places the cursor in the „Weight (kg)“ field of the parcel list
F12	Additional information	Switches between the tabs in the „Additional information“ section

Key combinations

STRG+N	Adds a new parcel line to the parcel list in the „Parcels“ section
STRG+X	Deletes selected parcel lines in the „Parcels“ section
STRG+P	Triggers the function of the „Print & close“ or „Print & new“ button
STRG+S	Triggers the function of the „Save & close“ or „Save & new“ button
ESC	Discard changes/close the order processing

7. Printouts

Parcel label

Damage not recognizable on the outside has to be reported in writing to DPD within 7 days after delivery.

dpd

Consignee Max Sample Man		Sender Send Address 1 Test Street 1 DE-63741 Aschaffenburg	Depot 0163 DPD Deutschland GmbH Aufholstr. 25 DE-00163 Aschaffenburg Phone +49 (0) 60 21 4 43 94-0
Sample St. 1			
NL-5688HA Oirschot			
Reference 1 Test package	Delivery 1 / 1		
Reference 2 Order #4711	Weight 12.00 kg		

09985001 0100 99_H D
Service

Track

NL - 0522

J091 101-NL-5688HA HOLY

28_02.22 10:29 R20220103 DELISprint 6.2.1.2 WIN



0568 8HA 0998 5001 0100 99 101 528 P

